

TABLE 1 (continued)

n = 9

<i>k</i>	<i>p</i>												<i>k</i>	
	.01	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		.99
0	.914	.630	.387	.134	.040	.010	.002	.000	.000	.000	.000	.000	.000	0
1	.997	.929	.775	.436	.196	.071	.020	.004	.000	.000	.000	.000	.000	1
2	1.000	.992	.947	.738	.463	.232	.090	.025	.004	.000	.000	.000	.000	2
3	1.000	.999	.992	.914	.730	.483	.254	.099	.025	.003	.000	.000	.000	3
4	1.000	1.000	.999	.980	.901	.733	.500	.267	.099	.020	.001	.000	.000	4
5	1.000	1.000	1.000	.997	.975	.901	.746	.517	.270	.086	.008	.001	.000	5
6	1.000	1.000	1.000	1.000	.996	.975	.910	.768	.537	.262	.053	.008	.000	6
7	1.000	1.000	1.000	1.000	1.000	.996	.980	.929	.804	.564	.225	.071	.003	7
8	1.000	1.000	1.000	1.000	1.000	1.000	.998	.990	.960	.866	.613	.370	.086	8
9	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	9

n = 10

<i>k</i>	<i>p</i>												<i>k</i>	
	.01	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		.99
0	.904	.599	.349	.107	.028	.006	.001	.000	.000	.000	.000	.000	.000	0
1	.996	.914	.736	.376	.149	.046	.011	.002	.000	.000	.000	.000	.000	1
2	1.000	.988	.930	.678	.383	.167	.055	.012	.002	.000	.000	.000	.000	2
3	1.000	.999	.987	.879	.650	.382	.172	.055	.011	.001	.000	.000	.000	3
4	1.000	1.000	.998	.967	.850	.633	.377	.166	.047	.006	.000	.000	.000	4
5	1.000	1.000	1.000	.994	.953	.834	.623	.367	.150	.033	.002	.000	.000	5
6	1.000	1.000	1.000	.999	.989	.945	.828	.618	.350	.121	.013	.001	.000	6
7	1.000	1.000	1.000	1.000	.998	.988	.945	.833	.617	.322	.070	.012	.000	7
8	1.000	1.000	1.000	1.000	1.000	.998	.989	.954	.851	.624	.264	.086	.004	8
9	1.000	1.000	1.000	1.000	1.000	1.000	.999	.994	.972	.893	.651	.401	.096	9
10	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	10

n = 11

<i>k</i>	<i>p</i>												<i>k</i>	
	.01	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		.99
0	.895	.569	.314	.086	.020	.004	.000	.000	.000	.000	.000	.000	.000	0
1	.995	.898	.697	.322	.113	.030	.006	.001	.000	.000	.000	.000	.000	1
2	1.000	.985	.910	.617	.313	.119	.033	.006	.001	.000	.000	.000	.000	2
3	1.000	.998	.981	.839	.570	.296	.113	.029	.004	.000	.000	.000	.000	3
4	1.000	1.000	.997	.950	.790	.533	.274	.099	.022	.002	.000	.000	.000	4
5	1.000	1.000	1.000	.988	.922	.754	.500	.246	.078	.012	.000	.000	.000	5
6	1.000	1.000	1.000	.998	.978	.901	.726	.467	.210	.050	.003	.000	.000	6
7	1.000	1.000	1.000	1.000	.996	.971	.887	.704	.430	.161	.019	.002	.000	7
8	1.000	1.000	1.000	1.000	.999	.994	.967	.881	.687	.383	.090	.015	.000	8
9	1.000	1.000	1.000	1.000	1.000	.999	.994	.970	.887	.678	.303	.102	.005	9
10	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.996	.980	.914	.686	.431	.105	10
11	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	11

TAB I

n = 12

<i>k</i>
0
1
2
3
4
5
6
7
8
9
10
11
12

n = 15

<i>k</i>
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

TABLE 1 (continued)

n = 20

k	p													k
	.01	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95	.99	
0	.818	.358	.122	.012	.001	.000	.000	.000	.000	.000	.000	.000	.000	0
1	.983	.736	.392	.069	.008	.001	.000	.000	.000	.000	.000	.000	.000	1
2	.999	.925	.677	.206	.035	.004	.000	.000	.000	.000	.000	.000	.000	2
3	1.000	.984	.867	.411	.107	.016	.001	.000	.000	.000	.000	.000	.000	3
4	1.000	.997	.957	.630	.238	.051	.006	.000	.000	.000	.000	.000	.000	4
5	1.000	1.000	.989	.804	.416	.126	.021	.002	.000	.000	.000	.000	.000	5
6	1.000	1.000	.998	.913	.608	.250	.058	.006	.000	.000	.000	.000	.000	6
7	1.000	1.000	1.000	.968	.772	.416	.132	.021	.001	.000	.000	.000	.000	7
8	1.000	1.000	1.000	.990	.887	.596	.252	.057	.005	.000	.000	.000	.000	8
9	1.000	1.000	1.000	.997	.952	.755	.412	.128	.017	.001	.000	.000	.000	9
10	1.000	1.000	1.000	.999	.983	.872	.588	.245	.048	.003	.000	.000	.000	10
11	1.000	1.000	1.000	1.000	.995	.943	.748	.404	.113	.010	.000	.000	.000	11
12	1.000	1.000	1.000	1.000	.999	.979	.868	.584	.228	.032	.000	.000	.000	12
13	1.000	1.000	1.000	1.000	1.000	.994	.942	.750	.392	.087	.002	.000	.000	13
14	1.000	1.000	1.000	1.000	1.000	.998	.979	.874	.584	.196	.011	.000	.000	14
15	1.000	1.000	1.000	1.000	1.000	1.000	.994	.949	.762	.370	.043	.003	.000	15
16	1.000	1.000	1.000	1.000	1.000	1.000	.999	.984	.893	.589	.133	.016	.000	16
17	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.996	.965	.794	.323	.075	.001	17
18	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.999	.992	.931	.608	.264	.017	18
19	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.999	.988	.878	.642	.182	19
20	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	20

TAB

n = 2

k

0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

TABLE 2 Cumulative Poisson Probabilities
 Tabulated values are $P(x \leq k) = p(0) + p(1) + \dots + p(k)$.
 (Computations are rounded at the third decimal place.)

k	μ										
	.1	.2	.3	.4	.5	.6	.7	.8	.9	1.0	1.5
0	.905	.819	.741	.670	.607	.549	.497	.449	.407	.368	.223
1	.995	.982	.963	.938	.910	.878	.844	.809	.772	.736	.558
2	1.000	.999	.996	.992	.986	.977	.966	.953	.937	.920	.809
3		1.000	1.000	.999	.998	.997	.994	.991	.987	.981	.934
4				1.000	1.000	1.000	.999	.999	.998	.996	.981
5							1.000	1.000	1.000	.999	.996
6										1.000	.999
7											1.000

k	μ										
	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0
0	.135	.082	.055	.033	.018	.011	.007	.004	.003	.002	.001
1	.406	.287	.199	.136	.092	.061	.040	.027	.017	.011	.007
2	.677	.544	.423	.321	.238	.174	.125	.088	.062	.043	.030
3	.857	.758	.647	.537	.433	.342	.265	.202	.151	.112	.082
4	.947	.891	.815	.725	.629	.532	.440	.358	.285	.224	.173
5	.983	.958	.916	.858	.785	.703	.616	.529	.446	.369	.301
6	.995	.986	.966	.935	.889	.831	.762	.686	.606	.563	.450
7	.999	.996	.988	.973	.949	.913	.867	.809	.744	.673	.599
8	1.000	.999	.996	.990	.979	.960	.932	.894	.847	.792	.729
9		1.000	.999	.997	.992	.983	.968	.946	.916	.877	.830
10			1.000	.999	.997	.993	.986	.975	.957	.933	.901
11				1.000	.999	.998	.995	.989	.980	.966	.947
12					1.000	.999	.998	.996	.991	.984	.973
13						1.000	.999	.998	.996	.993	.987
14							1.000	.999	.999	.997	.994
15								1.000	.999	.999	.998
16									1.000	1.000	.999
17											1.000

TAB I

k

0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36




TABLE 3 Areas under the Normal Curve

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
-2.9	.0019	.0018	.0017	.0017	.0016	.0016	.0015	.0015	.0014	.0014
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0048
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
-1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0722	.0708	.0694	.0681
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
-0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
-0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
-0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
-0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
-0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
-0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
-0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3483
-0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
-0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
-0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641

TAB

z
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5
1.6
1.7
1.8
1.9
2.0
2.1
2.2
2.3
2.4
2.5
2.6
2.7
2.8
2.9
3.0
3.1
3.2
3.3
3.4




TABLE 4
Critical Values
of t
page 691

<i>df</i>	$t_{.100}$	$t_{.050}$	$t_{.025}$	$t_{.010}$	$t_{.005}$	<i>df</i>
1	3.078	6.314	12.706	31.821	63.657	1
2	1.886	2.920	4.303	6.965	9.925	2
3	1.638	2.353	3.182	4.541	5.841	3
4	1.533	2.132	2.776	3.747	4.604	4
5	1.476	2.015	2.571	3.365	4.032	5
6	1.440	1.943	2.447	3.143	3.707	6
7	1.415	1.895	2.365	2.998	3.499	7
8	1.397	1.860	2.306	2.896	3.355	8
9	1.383	1.833	2.262	2.821	3.250	9
10	1.372	1.812	2.228	2.764	3.169	10
11	1.363	1.796	2.201	2.718	3.106	11
12	1.356	1.782	2.179	2.681	3.055	12
13	1.350	1.771	2.160	2.650	3.012	13
14	1.345	1.761	2.145	2.624	2.977	14
15	1.341	1.753	2.131	2.602	2.947	15
16	1.337	1.746	2.120	2.583	2.921	16
17	1.333	1.740	2.110	2.567	2.898	17
18	1.330	1.734	2.101	2.552	2.878	18
19	1.328	1.729	2.093	2.539	2.861	19
20	1.325	1.725	2.086	2.528	2.845	20
21	1.323	1.721	2.080	2.518	2.831	21
22	1.321	1.717	2.074	2.508	2.819	22
23	1.319	1.714	2.069	2.500	2.807	23
24	1.318	1.711	2.064	2.492	2.797	24
25	1.316	1.708	2.060	2.485	2.787	25
26	1.315	1.706	2.056	2.479	2.779	26
27	1.314	1.703	2.052	2.473	2.771	27
28	1.313	1.701	2.048	2.467	2.763	28
29	1.311	1.699	2.045	2.462	2.756	29
∞	1.282	1.645	1.960	2.326	2.576	∞

SOURCE: From "Table of Percentage Points of the *t*-Distribution," *Biometrika* 32 (1941):300. Reproduced by permission of the *Biometrika* Trustees.